

REFERENCES

- Barbour, M.T., J. Gerritsen, B.D. Snyder, and J.B. Stribling. 1999. Rapid Bioassessment Protocols for Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates and Fish, Second Edition. EPA 841-B-99-002. U.S. Environmental Protection Agency, Office of Water, Washington, D.C.
- Brown, A.V. and P.P. Brussock. 1991. Comparisons of benthic invertebrates between riffles and pools. *Hydrobiologia*, 220: 99-108.
- Brown, A.V., M.D. Schram, and P.P. Brussock. 1987. A vacuum benthos sampler suitable for diverse habitats. *Hydrobiologia*, 153: 241-247.
- Cooper, S.D. and L.A. Barmuta. 1993. Field Experiments in Biomonitoring. In *Freshwater Biomonitoring and Benthic Macroinvertebrates*. Ed. by D.M. Rosenbert and V.H. Resh. Chapman and Hall, N.Y. 488 pp.
- Doisy, K.E. and C.F. Rabeni. 2001. Flow conditions, benthic food resources, and invertebrate community composition in a low-gradient stream in Missouri. *J. N. Am. Benthol. Soc.*, 20(1): 17-32.
- Flotemersch, J.E., B.C. Autrey, and S.M. Cormier. 2001a. Comparisons of Boating and Wading Methods Used to Assess the Status of Flowing Waters. EPA/600/R-00/108. U.S. Environmental Protection Agency, Cincinnati, OH.
- Flotemersch, J.E., B.C. Autrey, and S.M. Cormier (editors). 2001b. Logistics of Ecological Sampling on Large Rivers. EPA/600/R-00/109. U.S. Environmental Protection Agency, Cincinnati, OH.
- Gale, W.F. and J.D. Thompson. 1975. A suction sampler for quantitatively sampling benthos on rocky substrates in rivers. *Trans. Amer. Fish. Soc.*, pp. 398-405.
- Hall, L.W., Jr. and others. 1999. Pilot Study to Develop Assessment Methods and Biological Indicators for Tidal Streams in Maryland's Coastal Plain. Chesapeake Bay and Watershed Programs, Monitoring and Non-Tidal Assessment, State of Maryland, Department of Natural Resources, CBWP-MANTA-EA-99-1.
- Karr, J.R. 1999. Defining and measuring river health. *Freshwater Biology* 41:221-234.
- Kay, W.R., and others. 1999. Patterns of distribution of macroinvertebrate families in rivers of north-western Australia. *Freshwater Biology* 41: 299-316.

- Klemm, D.J., P.A. Lewis, F. Fulk, and J.M. Lazorchak. 1990. Macroinvertebrate Field and Laboratory Methods for Evaluating the Biological Integrity of Surface Waters. EPA/600/4-90/030. U.S. Environmental Protection Agency, Office of Research and Development, Cincinnati, Ohio.
- LeFevre, S.R. 2003. West Branch Susquehanna Subbasin Survey: A Water Quality and Biological Assessment, July – November 2002. Publication 226. Susquehanna River Basin Commission, Harrisburg, Pennsylvania.
- LeFevre, S.R. and D.L. Sitlinger. 2003. Assessment of Interstate Streams in the Susquehanna River Basin: Monitoring Report No. 16, July 1, 2001, through June 30, 2002. Publication . Susquehanna River Basin Commission, Harrisburg, Pennsylvania.
- Merritt, R.W., K. W. Cummins, and V.H. Resh. 1996. Design of Aquatic Insect Studies: Collecting, Sampling and Rearing Procedures. In: An Introduction to the Aquatic Insects of North America, 3rd ed. Ed. by R.W. Merritt and K.W. Cummins. Kendall/Hunt Publishing Company, Dubuque, Iowa.
- Norris, R.H. and M.C. Thoms. 1999. What is river health? *Freshwater Biology*, 41: 197-209.
- Ohio Environmental Protection Agency. 1987. Biological Criteria for the Protection of Aquatic Life: Volumes I – III. Ohio Environmental Protection Agency, Columbus, Ohio.
- Parsons, M. and R.H. Norris. 1996. The effect of habitat-specific sampling on biological assessment of water quality using a predictive model. *Freshwater Biology*, 36: 419-434.
- Plafkin, J.L., M.T. Barbour, D.P. Kimberly, S.K. Gross, and R.M. Hughes. 1989. Rapid Bioassessment Protocols for Use in Streams and Rivers: Benthic Macroinvertebrates and Fish. Washington, D.C., U.S. Environmental Protection Agency, Office of Water, EPA/440/4-89/001.
- Resh, V.H. and E.P. McElravy. 1993. Contemporary Quantitative Approaches to Biomonitoring Using Benthic Macroinvertebrates. In *Freshwater Biomonitoring and Benthic Macroinvertebrates*. Ed. by D.M. Rosenbert and V.H. Resh. Chapman and Hall, N.Y. 488 pp.
- Resh, V.H. and J.K. Jackson. 1993. Rapid Assessment Approaches to Biomonitoring Using Benthic Macroinvertebrates. In *Freshwater Biomonitoring and Benthic Macroinvertebrates*. Ed. by D.M. Rosenbert and V.H. Resh. Chapman and Hall, N.Y. 488 pp.
- Stoe, T.W. 1999. Upper Susquehanna Subbasin: A Water Quality and Biological Assessment. Publication 203. Susquehanna River Basin Commission, Harrisburg, Pennsylvania.

Stribling, J.B. and others. 1998. Development of a Benthic Index of Biotic Integrity for Maryland Streams. Chesapeake Bay and Watershed Programs, Monitoring and Non-Tidal Assessment, State of Maryland, Department of Natural Resources, CBWP-MANTA-EA-98-3.

Thorp, J.H. 1992. Linkage between island and benthos in the Ohio River, with implications for riverine management. *Can. J. Aquat. Sci.* 49: 1873-1882.

United States Geological Survey. Methods for Collecting Benthic Invertebrate Samples as part of the National Water Quality Assessment Program. Open File Report 93-406. <http://water.usgs.gov/nawqa/protocols/OFR-93-406/inv1.html>

Wood, A.J., J.M. Omernick, D.D. Brown, and C.W. Killsguard. 1996. Level III and IV Ecoregions of Pennsylvania and the Blue Ridge Mountains, the Ridge and Valley, and the Central Appalachians of Virginia, West Virginia, and Maryland. U.S. Environmental Protection Agency, EPA/600/R-96/077, Digital Coverage.

